40399/A

52.B.31 2567

Harvey
5/3/09

SELECT PRESCRIPTIONS.

J. Compton, Printer, 23, Middle Street,
Cloth Fair, London.

A

SELECTION

OF

PRESCRIPTIONS,

Illustrating the various

TERMS USED BY PHYSICIANS

IN PRESCRIBING:

INTENDED FOR THE USE OF STUDENTS
WHO ARE PREPARING FOR

Examination at Apothecaries' Hall.

BY JONATHAN PEREIRA,

Apothecary to the General Dispensary, Aldersgate Street, Fellow of the Medical and Member of the Meteorological Societies of London, &c.

LONDON:

PRINTED FOR JOHN ANDERSON, MEDICAL BOOKSELLER, 40, WEST SMITHFIELD.

1824.

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

TO

THE GENTLEMEN

attending the

LECTURES and MEDICAL PRACTICE

of the

GENERAL DISPENSARY,

Aldersgate Street,

THE FOLLOWING

SELECTION of PRESCRIPTIONS

IS DEDICATED,

By their sincere Friend
and Well-wisher,

J. PEREIRA.

General Dispensary,
36, Aldersgate Street.

ADVERTISEMENT.

In offering the following pages to the notice of the Medical Student, the Author conceives no apology necessary. Every one well knows that one point of the examination at Apothecaries' Hall is "The translating Physicians' Prescriptions." Now many words which are used by Physicians in prescribing are seldom met with in Latin Authors; the consequence is, that unless a Student has had opportunities of seeing a variety of Prescriptions (although he may be a tolerably good classic), he may meet with many words which he will stumble at. It is with a view of assisting such Gentlemen that the following selection of "Prescriptions," which have been termed by Students "*difficult Prescriptions*," are published. Many of these have been long used in manuscript by the Students at the Dispensary, and the Author, from experience, is well convinced of their utility.

SELECT
Prescriptions.

FORMS for BLOOD-LETTING, &c.

1.

DETRAHANTUR è brachio sanguinis unciæ decem.

2.

Fiat venæsectio ut fluant sanguinis ʒv.

3.

Opus est venam cubiti secare, ut sanguis fluat ad ʒx.

4.

Detrahatur sanguis ex sinistro brachio (è venâ magis apparente), ad ʒx.

5.

Juvabit quoque sanguinem mittere è brachio, usque ad ℥xv.

6.

Sanguis è brachio iterum mittendus est, ad eandem quantitatem.

7.

Ad recidivum præcavendum, detrahatur sanguis pro re nata.

8.

Extrahatur sanguis pleno rivo, ad ℥vj, quamprimum.

9.

Mittatur sanguis ad deliquium.

10.

Emitte sanguinis ℥vj saltem.

11.

Mittatur sanguis, per saltum, ad ℥x.

12.

Detrahantur è venâ brachiali sanguinis unciæ sex.

13.

Repetatur sanguinis detractio statim, ad eandem quâ antea quantitatem.

14.

Detrahantur arteriâ temporali, sanguinis unciæ sex.

15.

Mittatur sanguis ex largo vulnere ad ℥x.

16.

Repetatur sanguinis detractio, et localis et generalis.

17.

Detrahantur iterum ℥xxx sanguinis.

18.

Fiat quamprimum venæsectio ad ℥xij.

19.

Iteretur venæsectio ad ʒxvj.

20.

Nec non, vena Brachii secta sit, ac è vulnere adeò lato ut sanguis per id celerrime effluat, et ad uncias duodenas.

21.

Sanguis eodem in modo iterum mittendus est, at vero ad uncias sexdenas.

22.

Pertundatur vena Brachii et detrahatur sanguis, ad ʒxx, vel usque ut liquerit animus.

23.

Mittatur sanguis ad ʒx, è brachio. Reiteretur venæsectio, si modò respirationis difficultas, dolor capitis inter tussiendum lancinans, et alia signa Peripneumoniæ adsint.

24.

Repetatur venæsectio ad tres alias vices, ad eandem quantitatem, tribus diebus sequentibus, quando dolor & respirandi difficultas suadeant.

25.

Sequenti die celebretur iterum venæsectio, ad eandem quantitatem.

26.

Mittatur sanguis è brachio dextro, ad ℥x. Die sequenti sumat æger hanc potionem:

℞ Decocti Aloës comp.....℥j
Sodæ Sulphatis .....℥iv
Misce.

27.

Mittatur sanguis è brachio ad ℥xij, quamprimum; ac postea ex venâ jugulari ad ℥viij.

28.

Mittatur sanguis ad uncias quatuor tantum.

29.

Sanguis denuò mittendus est ad ℥x.

30.

Repetatur sanguinis detractio ad uncias octo, è brachio.

31.

Mittatur sanguis illico, ad ℥xij vel ultra.

32.

Mittatur sanguis de novo, et repetatur ad animi ferè deliquium.

33.

Extrahatur sanguis è brachio; et eodem die post aliquot horas, vel sequenti die duabus horis post leve prandium, capiat pulverem emeticum.

34.

Si primæ venæsectioni non cedat morbus, tum repetatur; et nondum cessante, ad duas alias vices celebretur, interposito semper die uno.

35.

Juvabit cruorem iterum mittere ad uncias duodenas sexdenasvè.

36.

Applicentur cucurbitulæ è ferro ad nucham capitis et mittatur sanguis ad ℥xij.

37.

Statim abradatur capillitium et applicentur cucurbitulæ cruentæ ad nucham.

38.

Admoveantur lumbis, cucurbitulæ cum scarificatione ad ℥xiv.

39.

Applicentur cucurbitulæ cum ferro sub aurem lateris affecti et mittatur sanguis ad ℥iv.

40.

Admoveantur cucurbitulæ cum scarificatione ad partem thoracis dolentem pro re nata, et exsugatur sanguis ad ℥viij.

41.

Applica hirudines vj talo et monti pedis.

42.

Semel in Septimanâ applicentur temporibus utrimque hirudines iij.

43.

Hirudines xxiv statim admoveantur, et quando remoti sunt, cataplasma emolliens applicetur.

44.

Admoveantur hirudines tres singulis temporibus, si adsit dolor capitis.

45.

Applicentur hirudines iv; et post fluxum sanguinis, applicetur Emplastrum Lyttæ.

46.

Applicentur jugulo hirudines sex.

47.

Statim abradatur capillitium, et applicentur cucurbitulæ cruentæ ad nucham.

48.

Detrahantur hypochondrio dextro sanguinis unciæ octo, ope cucurbitularum cruentarum.

49.

Applicentur cucurbitulæ cervici, scapulis, partibusque adjacentibus; iteretur vero harum applicatio, pro re nata, per curationis decursum.

50.

Detrahantur ex Ischio affecto, ope cucurbitularum cum scarificatione, sanguinis ℥vj: deinde applicetur ad partem affectam Emplastrum Lyttæ.

51.

Applicentur hirudines xij vel cucurbitulæ cruentæ, adversum renes, ut extrahantur sanguinis ℥xij.

52.

Admoveantur fronti hirudines vj.

53.

Convulsione redeunte, haud aliter, detrahatur sanguis per cucurbitulas tres.

54.

Si dolor perstiterit ad latus, mittantur sanguinis ℥xx è Brachio.

55.

Admoveantur regioni Renum hirudines xij.

FORMS for BLISTERS, &c.

56.

APPLICA Emplastrum Lyttæ parti adfectæ, per spatium xij horarum, vel donec in vesicam manifestò epidermis elata sit.

57.

Applicetur abdomini Emplastrum Lyttæ, super aluta satis lata extensum.

58.

Admoveatur parti thoracis superiori Emplastrum Lyttæ, et post vesicationem applicetur ceratum sabinæ, ut ulcus perpetuum fiat. Fluxu cessante utatur sequenti

Cerati Sabinæ
Unguenti Lyttæ p. æ.

59.

Admoveatur Emplastrum Lyttæ externæ parti gutturis.

60.

Admoveatur capiti raso unguentum cantharidis usque ad vesicationem.

61.

Admoveatur coxæ Emplastrum Lyttæ.

62.

Admoveatur prope cartilaginem Thyroideam utrinque
Emplastr. Lyttæ.

63.

℞ Emplastr. Galb. Co.
——— Thuris āā ....℥j
Fiat emplastrum, alutæ inducendum.

64.

Abradatur capillitium et admoveatur toti capiti Emplastrum Lyttæ.

65.

Applicetur prope articulum femoris superiorem, Emplastrum Lyttæ, super quod, drachma pulveris lyttæ inspergenda est.

66.

Si valde urgeat dyspnœa, applicetur Emplastrum Lyttæ, et fiat ulcus perpetuum ope unguenti sabinæ.

67.

℞ Emplastri Galbani ....ʒſs
——— Resinæ ....ʒij

Misce. Fiat emplastrum super alutam extendendum, quibus pedes involvantur post pediluvium.

68.

Imponatur nuchæ capitis, vel suris externis, Emplastrum Lyttæ.

69.

Admoveatur inter scapulas Emplastrum Lyttæ.

70.

Emplastrum Lyttæ collo imponendum quà dolet.

71.

Admoveatur Emplastrum Lyttæ lateri lævo.

72.

Applicetur emplastrum epispasticum satis amplum et acre inter scapulas.

73.

℞ Lyttarum in pulverem tenuissimum tritarum.....3j
Camphoræ Pulveris 3j
Ceræ Flavæ
Sevi ppt. āā 3j
Adipis pptæ.....℥ij

Cera, Sævo, et Adipe simul liquefactis, paulo antequam concrescant, Lyttas et Camphoram insperge, atque omnia misce ut fiat emplastrum.

74.

Applicetur Emplastrum Lyttæ capiti. Curetur pars exulcerata unguento sabinæ.

75.

Nata humoris detractio ab emplastro lyttæ, si res postulaverit, promoveatur.

76.

Emplastrum Lyttæ, brachiis internis singulis infra cubitos applicandum.

77.

Vesicatorium nuchæ applicandum et postea unguentum sabinæ.

78.

Emplastrum Lyttæ, regioni epigastricæ imponendum.

79.

Admoveatur occipiti emplastrum cantharidis.

80.

Emplastra epispastica tibiis internis applicentur.

81.

Emplastra duo vesicatoria brachiis internis quamprimum applicentur.

82.

Applicetur emplastrum lyttæ genu, et ulceratio servetur aperta ope unguenti sabinæ.

83.

Ceratum Lyttæ partibus excoriatis imponatur, ut natus humor ab emplastro lyttæ promoveatur.

84.

Applicetur gulæ Emplastrum Lyttæ.

85.

Admoveatur Emplastrum Lyttæ propè coxendicim.

86.

℞ Pulveris Euphorbii....ƷſsCerati Sabinæ.....ʒjEmplastri Thuris... ...ʒſs

Simul bene contritis, sit emplastrum scuto pectoris.

87.

Fiat Fonticulus ex parte vesicatorii ope unguenti sabinæ.

88.

Applicetur Emplastrum Lyttæ scrobiculo cordis.

89.

℞ Ammoniæ Muriatis.....3j
Saponis Duri.....3ij
Emplastri Plumbi.....℥ss

Emplastrum et saponem simul liqua, et paulo antequam concrescant, immisce salem in pulverem tenuem tritum. Extensum super alutam parti affectæ quamprimum applicetur, et pro re nata repetatur.

FORMS for MIXTURES, &c.

90.

℞ Infusi Sennæ.....℥iſs
Magnesiæ Sulphatis....℥iv
Misce. Hujus capiat unciam, horâ septimâ matutinâ; et circiter horam decimam, partem reliquam sumat, si opus fuerit.

91.

℞ Liquoris Ammoniæ Acetat...℥iv
Liquoris Antimonii Tart.....℥iv
Tincturæ Cardamomi.....℥ij
Aquæ Menthæ Piperitæ.....℥ij
fiat mistura, cujus unciæ duæ omni horæ quadrante, calidè sorbeantur, durante frigore.

92.

℞ Spiritûs Ammoniæ.....℥ſs
Olei Amygdalæ... ....℥ſs
Aquæ Pulegii sesquiunciam /℥
fiat secundum artem mistura, de quâ omni horâ cochleare dimidium guttatim hauriat, si necessitas gutturis urgeat.

93.

℞ Tincturæ Valerianæ.....3ij
Dentur guttæ tres subinde è cochleare parvulo infusi radicis valerianæ sylvestris sub formâ theæ parati.

94.

℞ Liquoris Ammoniæ Acetatis...3iv
Spiritûs Ætheris Nitrici.....3ij
Aquæ Menthæ.....ʒij
Misce. Capiat cochleare amplum 6tâ quâque horâ durante febre; et absente febre pulverem peruvianum ut ante.

95.

℞ Infusi Quassiæ.....ʒv
Sorbeat æger ʒij ante meridiem.

96.

℞ Misturæ Mucilaginis....ʒiv
Syrupi Scillæ.....3iij
Tincturæ Opii.....gtt. xl
Quod unciatim sumatur, tussi admodum ingravescente.

---

x bye little at a time

97.

℞ Infusi Gentianæ Co....℥vj
Magnesiæ Sulphatis....℥j breakfast
Capiat cochlearia tria magna, post jentaculum et post prandium quotidie.

98.

℞ Liquoris Ammoniæ Acet...℥ij
Aquæ Menthæ Virid.....℥iv
Syrupi Croci.....3ij
Spiritûs Ætheris Nitrici...3ij
Misce. Cochlearia duo magna, secundis horis sumantur, sæpius vel rarius pro febris impetûs ratione.

99.

℞ Foliorum Rosæ..... ℥j
Aquæ Ferventis.....℥viij
Stent per horam, colaturæ adde succi Limonum, saccharı albi āā q. s. ad gratam acedinem dulcedinemque.

100.

℞ Infusi Sennæ.....℥vj
Magnesiæ Sulphatis....℥ij
Misce. Capiat unciam omni horâ, donec sedantur symptomata.

101.

℞ Antimonii Tartarizati..gr. vj
Aquæ Puræ.....3iv
Syrupi Rhœados.....3j
Misce. Capiat cochleare minimum subinde ad nauseam vel vomitum promovendum.

102.

℞ Tincturæ Opii.....3j
Mist. Magnesiæ.....ʒvj
Misce. Capiat unciam quandoque alvi dolor vel tentat vel reciprocat.

103.

℞ Acidi Muriatici.....f3j
Decocti Hordei.....Oj
Syrupi..... ....f3ij
vel quantum sufficit ad acorem compescendum, et gustum conciliandum: sumatur quotidie ad instar potus, et bibat quantum sitis exigat.

104.

℞ Sodæ Subcarbonatis...3ijſs
Crystallorum Tartari..3iij
Aquæ Puræ.....ʒviij
Stent in lagena, bene obturata, per triduum, et deinde sit in promptu pro potu cathartico.

105.

℞ Sodæ Carbonatis.....3ij
Ferri Sulphatis.....gr. iij
Magnesiæ Subcarb.....3j
Aquæ Puræ.....Oſs
Acidi Sulphurici diluti..f3x

Infundatur primum lagenæ aqua, dein immittantur salina, et denique acidum sulphuricum; illico obturetur lagena, et in loco frigido servetur.

106.

℞ Infusi Sennæ.....ʒvj
Tincturæ Jalapæ.....3ij
Magnesiæ Sulphatis.....ʒj

Misce. Capiat cochlearia duo ampla, 2ndâ quâque horâ, donec subducatur alvus.

107.

℞ Magnesiæ Subcarbonatis..3ij
Pulveris Rhei.....3j
Aquæ Menthæ viridis.....ʒvj
Syrupi.....3ij

Misce. Capiat unciam omni horâ, donec leniatur dolor.

108.

℞ Infusi Sennæ.....℥vj
Magnesiæ Sulphatis....℥j
Miscc. Fiat mistura cathartica, in promptu servanda.

109.

℞ Decocti Lichenis.....Oj
Sumat æger poculum, omni bihorio.
2 horis

110.

℞ Magnesiæ Carbonatis...3j
Aquæ Menthæ.....℥vj
Tincturæ Opii.....3j
Misce. Sumat cochlearia duo, dum flatus infestat.

111.

Capiat cochlearia duo ampla, aquæ menthæ piperitæ, omni horâ, donec singultus et nisus ad vomitum cessaverint.

112.

℞ Succi Limonis recentis..℥j
Potassæ Subcarbonatis..3ij
Aquæ Menthæ .....℥iv
effervescientiâ peractâ adde

113.

Liquoris Ammoniæ Acetatis...℥j
Spiritûs Ætheris Nitrosi.....3ij
Misce. Capiat cochlearia duo magna, sextâ vel octavâ quâque horâ.

114.

℞ Tincturæ Digitalis....gtt. xx
Acidi Prussici.....3iij
Misce. Hujus capiat guttas xx ter die, ex cyatho aquæ frigidæ, dosin sensim augendo pro-ut caput aut ventriculus ferre queat.

may be alde

115.

℞ Nitri purificati 3j
Misturæ Amygdalæ.....℥vj
Solve conterendo, ut fiat mistura. Sumantur cochlearia tria singulis quadrihoris.

116.

℞ Magnesiæ Carbonatis....ʒj
Pulveris Rhei.....gr. xv
Aquæ Anethi.....ʒiſs

Misce, fiat julepium, cujus unum cochleare minimum infantulo lactenti detur, secundis horis. Phialâ agitatâ.

117.

℞ Misturæ Ammoniaci....ʒvj
Tincturæ Opii.....ʒj

Misce. Capiat cochlearia duo magna statim, et iteretur post horam si tussis accreverit.

118.

℞ Decocti Hordei.....ʒx
Olei Olivæ.....ʒij
Mucilaginis Acaciæ....ʒj

Tere oleum cum mucilagine donec probè coiverint, tum sensim adde decoctum ut fiat enema. Interdum addere liceat Magnesiæ Sulphatis ʒj.

119.

℞ Spiritûs Ammoniæ.....ʒj
Tincturæ Assafœtidæ....ʒfs
Syrupi Croci.....ʒfs
Aquæ Cinnamomi.....ʒj

Misce. Exhibe cochleare parvum, ter quaterve de die, vel sæpius, urgente convulsione vel spasmo.

120.

℞ Misturæ Cretæ.....ʒvj
Tincturæ Opii.....ʒj

Fiat mistura, cujus sumantur cochlearia tria magna post singulas dejectiones liquidas.

121.

℞ Infusi Sennæ.....ʒvj
Magnesiæ Sulphatis....ʒj

Fiat mistura, cujus capiat partem quartam, quartâ vel sextâ quâque horâ prout alvus strictior fuerit.

122.

℞ Sodæ Sulphatis.....℥iſs
Sodæ Phosphatis.....℥j
Syrupi Rhamni.....℥iv
Aquæ Menthæ.....℥vj

Misce. Sumat unciam statim, et repetatur dosis post horas duas nisi alvus prius respondeat.

Unless the Bowels shall be found before

123.

℞ Syrupi Papaveris .....℥iv
Aquæ Menthæ.....℥iv
Tincturæ Scillæ.....℥j

Fiat mistura, cochlearia duo pro dosi tussi urgente sumenda.

124.

℞ Tincturæ Hyosciami..... ℥jſs
Potassæ Acetatis.....℥iv
Syrupi Croci..... .....℥ij
Aquæ Anisi.....℥vj

Fiat mistura, cujus sumantur cochlearia duo, vel tria minima bis tervè in die vel ut opus sit.

It shall be necessary

125.

℞ Succi Limonis recentis....fʒſs
Syrupi
Aquæ.....āā fʒij
Misce. Solutione carbonatis potassæ prius sumptâ, haustus è succo limonis illico porrigatur.

126.

℞ Ipecacuanhæ Radicis pulveris..3iſs
Potassæ Supertartratis.....3j
Aquæ ferventis.....fʒiijſs
Macera per horam integram dein cola et adjice
Syrupi.....fʒſs
Misce. Detur semuncia vel cochleare amplum, omne semihorâ, donec vomitum proritaverit.

127.

℞ Tincturæ Opii.....3j
Misturæ Cretæ.....ʒvj
Misce. Capiat cochlearia duo magna omni quadrante horæ.

128.

℞ Infusi Sennæ.....℥vj
Magnesiæ Sulphatis .....℥iſs

Misce. Cochlearia duo ampla intermissionis tempore sumantur, ita ut purgatio ex toto cessaverit, ante accessionem paroxysmi.

129.

℞ Infusi Rosæ.....f℥vj
Magnesiæ Sulphatis....℥ſs

Fiat Mistura, sumat cochlearia duo ampla statim, intervallo horarum quatuor repetanda, nisi prius dejecerit alvus.

130.

℞ Sodæ Tartarizatæ.....℥ij
Aquæ Menthæ.....℥viij

Misce. Capiat cochlearia duo ampla, omni bihorio ad sedes.

until an evacuation

131.

℞ Plumbi Acetatis.....gr. iv
Aquæ Distillatæ.....℥iv
Syrupi Papaveris .....℥iij

Misce. Capiat cochleare amplum, quotidie mane, repetatur dosis ad tres vices, et deinde capiat æger haustum aliquem purgantem.

some

132.

℞ Infusi Sennæ.....ʒvj
Sodæ Sulphatis .....ʒij

Misce. Hujus misturæ sumantur cochlearia quatuor tribus horis, donec venter rite solutus fuerit.

133.

℞ Infusi Sennæ.....ʒj
Magnesiæ Sulphatis .....ʒſs

Misce. Capiat quartâ quâque die.

134.

℞ Tincturæ Valerianæ.....3ſs
Tincturæ Assafœtidæ ....gtt. xx
Aquæ Puræ.....ʒij

Misce. Capiat cochlearia duo magna, in languoribus præcipuè diebus purgationi deditis.

135.

℞ Misturæ Amygdalæ.....ʒvj
Tincturæ Opii.....3ſs

Misce. Capiat cochlearia magna duo, quartâ quâque horâ, si tussis increbuerit.

136.

℞ Antimonii Tartarizati....gr. iij
Infusi Sennæ .....℥iij
Aquæ Pimentæ .....℥iv
Misce. Repetantur cochlearia duo ampla, omni semihorâ donec supervenerit vomitus, vel alvus dejecerit.

137.

℞ Tincturæ Jalapæ.....℥iv
Potassæ Sulphatis .....℥ſs
Aquæ Menthæ.....℥vj
Misce. Sumat cochlearia majora duo, omni quadrante horæ donec alvus copiosè respondeat.

138.

℞ Lichenis Islandici.....℥j
Aquæ frigidæ.....Oj
Coque ad uncias duodenas; stet ut geletur, et utatur gelatina ad libitum.

139.

℞ Lactis Vaccini.....Oj
Sinapis Sem. contusorum....℥j
Coquantur simul, donec pars caseosa in coagulum abierit, deinde coletur serum et sumatur cyathus subinde.

140.

℞ Liquoris Ammon. Acet.....℥iv
Tincturæ Opii 3ſs
Aquæ Menthæ .....℥vj
Misce. Capiat cochlearia duo, invadente paroxysmo caloris in febribus intermittentibus.

141.

℞ Infusi Sennæ.....℥vj
Sumat primò omni quadrante horæ cochleare, dein assumptionis vices protrahantur, ad horam et ultra pro successu.

142.

℞ Liquoris Ammoniæ Acetat...℥iv
Liquoris Antimonii Tart.....℥ij
Aquæ Menthæ.....℥iv
Misce. Sumat omni horâ amplum cochleare, donec sudor prodeat.

143.

℞ Decocti Aloes compos.....℥vj
Capiat æger cochlearia tria ampla pro re nata, postea augendo, minuendovè quantitatem, prout sedes pauciores, pluresvè promoverit.

144.

℞ Cretæ preparatæ.....ʒj
Tincturæ Opii.....ʒſs
Aquæ Cinnamomi .....ʒvj

Misce, et agitando phialam, dentur cochlearia duo, secundâ quâque horâ, serius vel citius ut res postulet, dum vexant ventriculi tormina vel vomitus.

145.

℞ Vini Ipecacuanhæ.....ʒj

fiat haustus, statim sumendus.

℞ Misturæ Amygdalæ.....ʒvj
Tincturæ Opii.....ʒj

Misce. Capiat cochlearia duo ampla sub finem vomitionis.

146.

℞ Tincturæ Rhei.....ʒj
Tincturæ Gentianæ.....ʒſs
Aquæ Pimentæ .....ʒiv
Syrupi Croci .....ʒj

Fiat mistura, cujus sumat æger cochlearia duo, urgente ventriculi dolore, flatu, nauseâ, vel languore.

147.

℞ Tincturæ Opii.....3ſs
Tincturæ Cardam.....ʒſs
Syrupi Croci 3iv
Aquæ Cinnamomi .....ʒvj
Misce. Capiat cochlearia duo maxima post singulas vomitiones vel sedes liquidas.

148.

℞ Decocti Cinchonæ.....ʒvj
Acidi Sulphurici Diluti....3j
Syrupi Aurantiorum .....ʒſs
Misce. Hujus misturæ cochlearia quatuor, horis duabus interpositis, sumantur.

149.

℞ Tincturæ Opii 3ſs
Confectionis Aromaticæ 3j
Aquæ Menthæ Piperit.....ʒvj
Fiat mistura, cujus sumantur cochlearia tria magna post unamquamque sedem mollem: phialâ priùs concussâ.

150.

℞ Spiritûs Ammoniæ.....3j
Tincturæ Castorei.....3iij
Spiritûs Lavendulæ 3ij
Aquæ Pimentæ.....ʒj
Fiat mistura, cujus drachmæ duæ, pro re natâ, ingerantur, contra languorem, et deliquium.

151.

℞ Infusi Sennæ.....ʒvj
Tincturæ Jalapæ 3vj
Misce. Sumantur cochlearia tria ampla, singulis horis, ad plenam alvi solutionem.

152.

Perstet in usu misturæ catharticæ, donec alvus ter quaterve plenè responderit.

153.

℞ Misturæ Ammoniaci.....ʒvj
Capiat æger cochleare magnum bis in die ex poculo jusculi bovini.

154.

℞ Tincturæ Scillæ 3j
Mucilaginis Acaciæ 3j
Tincturæ Opii.....3j

Misce; fiat mistura, de quâ subindè capiat drachmam unam guttatim, ad gulam emolliendam, et expuitionem promovendam.

155.

℞ Ammoniæ Carbonatis.....3j
Tincturæ Cardamomi.....3j
Syrupi Rhæados.....3ij
Aquæ Menthæ Piperitæ.....3iv

Fiat mistura, de quâ capiat unum cochleare largum, si pustulæ evanesceant.

shall disappear

156.

℞ Liquoris Ammoniæ Acet.....3j
Liquoris Antimonii Tart.....3j
Aquæ Menthæ Sativæ 3iv
Syrupi Croci--.....3j

Fiat mistura, de quâ unum cochleare largum, secundis vel tertiis horis exhibeatur; sæpiùs rariusvè prout febris vehementior, vel mitior fuerit.

One Table spoonful to be given every 2 or 3 hours
If he is more seldom as the Fever shall
be more violent or milder

157.

℞ Tincturæ Assafœtidæ.....3ij
Ammoniæ Carbonatis.....3ss
Aquæ Pulegii.....ʒiv
Fiat mistura, de quâ capiat unum cochleare, vel cochlearia duo in languoribus, vel sudoribus frigidis, vel frigoris paroxysmis.

158.

℞ Infusi Lini .....Oj
Magnesiæ Sulphatis -----ʒj
Misce. Dosis tres quatuorve cyathi.

159.

℞ Radicis Rubiæ.....ʒiv
Coque in Aquæ communis Oiv, ad Oij. Quinque vel sex cyathi in die propinentur ægrotantibus.
by the Sick Person

160.

℞ Potassæ Supertartratis.....ʒj
Olei Limonis-----gutt. xv
Sacchari purificati -----ʒij
Aquæ bullientis .....Oij
Misce. Usurpetur pro potu communi, ubi æger intensâ siti vexatur.
by an intense thirst
+ Site Thirst

161.

℞ Pulveris Jalapæ.....ʒj
Pulveris Zinziberis .....gr. xx
Magnesiæ Sulphatis .....ʒj
Aquæ Puræ -----ʒvj

Misce. Cochleare unum singulis horis exhibeatur, quâque vice phialam agitando, ut permisceatur pulvis.

162.

℞ Corticis Cinchonæ.....ʒiſs
Magnesiæ Sulphatis -----ʒij
Aquæ Puræ .....Oij

Coque per sextam partem horæ in vase leviter clauso, et liquorem adhuc calentem cola; sub finem adde Syrupi Absinthii ʒij. Tertiâ vel quartâ quâque horâ cyathus unus exhibeatur, intermissionis tempore.

163.

℞ Infusi Gentianæ .....ʒvj
Magnesiæ Sulphatis ....ʒij

Misce. Usurpetur ad ʒij bis vel ter in die, longe à pastu et maxime jejuno ventriculo.

164.

℞ Decocti Hordei.....Oſs
Nitri purificati 3ſs
Misce. Duabus vel tribus exhibeatur vicibus, duarum horarum intervallo.

165.

℞ Spiritûs Ammoniæ Arom. - - -3j
Liquoris Ammoniæ Acet. - - -℥iv
Tincturæ Opii - - - - - - - - - -3j
Aquæ Pimentæ - - - - - - - - - -℥iv
Misce, et divide in haustus quatuor, quorum, unus usurpari potest, si pulsus languescat, vel pustulæ subsiderint.

166.

℞ Tincturæ Opii - - - - - - - - - -3j
Aquæ Menthæ Piperitæ- - - - -℥vj
Syrupi Croci - - - - - - - - - - -3ij
Misce. Singulis sesquihoris cochleare exhibeatur. hour ℞ ℥

167.

℞ Tincturæ Opii - - - - - - - - - - - - ℥j
Syrupi Croci - - - - - - - - - - - - - ℥j
Tincturæ Cardamomi - - - - - - ℥ij
Aquæ Cinnamomi - - - - - - - - ℥vj
Misce. Cochleare unum exhibeatur, dosisque iteretur, prout urgeat morbus.

168.

℞ Liquoris Ammoniæ Acet. - - - ℥ij
Tincturæ Opii - - - - - - - - - - ℥j
Liquoris Antimonii Tart. - - - ℥j
Aquæ Menthæ - - - - - - - - - - - ℥ij
Misce, et in tres quatuorve doses divide, cujus una omni bihorio in insultuum remissione sumenda.

169.

℞ Vini Colchici - - - - - - - - - - - ℥ij
Tincturæ Jalapæ - - - - - - - - - ℥j
Infusi Sennæ - - - - - - - - - - - ℥ij
Misce. Ista dosis, in duas partes dividi potest, quarum una mane, altera sero exhibeatur.

This may be divided into two parts, of which one dose may be given in the morning, the other at

170.

℞ Tincturæ Opii - - - - - - - - - - -℥j
Aquæ Menthæ - - - - - - - - - - -℥iv
Syrupi Croci - - - - - - - - - - - -℥ij
Misce. Capiat unciam donec incipiat leniri dolor.

171.

Ætheris cochleare minimum urgente flatu in aquâ menthæ piperitæ sumendum.

172.

℞ Decocti Cinchonæ - - - - - - -℥ij
Tincturæ Myrrhæ - - - - - - -℥ſs
Acidi Muriatici - - - - - - - - -q. s.
gratam acerbitatem reddere.

173.

℞ Tincturæ Sennæ - - - - - - - -℥j
Tincturæ Jalapæ - - - - - - - -℥ij
Aquæ Pimentæ - - - - - - - - - -℥ij
Misce. Capiat dimidium statim, et semihorâ elapsâ, quod reliquum est.

174.

Prætermittatur mistura salina.

175.

Capiat Tincturæ Opii guttas xxx horâ somni, et repetantur omni 3tia horâ perstante dolore et spasmo.

176.

℞ Tincturæ Castorei - - - - - - - - - 3ij
Tincturæ Serpentariæ - - - - - - - 3ij
Aquæ Pimentæ - - - - - - - - - - - ℥ij
Misce. Capiat cochleare modicum, 4tis horis, aggrediente febre.

177.

℞ Infusi Sennæ - - - - - - - - - - - ℥iv
Magnesiæ Sulphatis - - - - - - - 3j
Misce. Ex hoc mixto, primo die, cochleare unum, altero die, duo, et sic deinceps propinentur.

178.

℞ Sarsaparillæ Radicis
Zingiberis Radicis contus. āā. . ℥ſs
Sassafras radicis concisæ - - - - ℥j
Coque leni igne in aquæ fontanæ Oiv, ad dimidiam consumptionem ut fiat decoctum, cujus bibat f℥viij modicè tepefacti post bolum, et mane repetatur in lecto ad diaphoresin ciendam.

179.

℞ Acidi Sulphurici diluti ....℥ſs
Syrupi Rhœados.....3ij
Tincturæ Cardamomi.....3ij;
fiat Mistura, cujus sumat cochleare minimum, sextis horis, in quovis vehiculo grato.

180.

℞ Spiritûs Ammoniæ Arom.....3j
Tincturæ Cardomomi 3ij
Tincturæ Castorei.....3j
Aquæ Pulegii .....℥iv
Sumat opprimente languore, cochlearia ampla duo.

181.

℞ Tincturæ Castorei
Tincturæ Myrrhæ ãã.....3j
Mist. Amygdalæ .....℥vj
Syrupi Croci.....3j
Misce. Sumat cochlearia quatuor ampla, manè, meridiè, et horâ somni, ad biduum vel triduum; quo elapso, et uno tantum die interjecto, sumat Potionem emeticam sequentem manè, superbibendo Infusi Florum Anthemidis q. s. ad vomitiones quater aut quinquies proritandas, cum debito regimine.

182.

℞ Vini Ipecacuanhæ .....ʒj
Antimonii Tartar. .....gr.ij
Misce; et fiat Potio.

183.

℞ Sodæ Tartarizatæ .....ʒſs
Tincturæ Rhei .....ʒſs
Syrupi communis .....ʒij
Aquæ Pimentæ.....ʒvj
Fiat mistura, cujus capiat æger cochlearia tria magna omni bihorio donec alvus purgetur.

184.

℞ Aquæ distillatæ.....ʒij
Antimonii Tartarizati ....gr.iij
Solve; hujus danda sunt cochlearia duo mediocria singulis horæ quadrantibus, donec vomitus sequatur.

185.

℞ Vini Ipecacuanhæ.....ʒj
Fiat mistura, cujus cochlearia magna quamprimum, et octavis minutis donec evomuerit sumantur.

186.

℞ Infusi Sennæ .....ʒvj
Tincturæ Sennæ .....ʒfs
Magnesiæ Sulphatis .....ʒj
Fiat mistura, cujus capiat æger cochlearia duo magna bis terve in horas, donec adsit catharsis.

187.

℞ Catechu .....ʒfs
Aquæ Puræ.....ʒxij
Coque ad ʒvj; stent donec fæces subsiderint: liquoris partem limpidam cautè effunde.

188.

℞ Decocti Aloës .....ʒvj
Sodæ Sulphatis.....ʒfs
Fiat mistura, cujus sumat æger cochlearia duo ordinaria, secundâ quâque horâ, donec amplè purgaverit.

189.

℞ Acidi Nitrici.....ʒj
Aquæ Distillatæ .....ʒxij
Syrupi Aurantii.....ʒifs
Fiat mistura, quotidie sumenda, ope tubuli vitrei, partitis haustibus.

190.

℞ Balsami Copaivæ .....ʒfs
Vitellum unius ovi
Sacchari purificati.....ʒj
His bene subactis terendo, adde paulatim Aquæ Menthæ viridis ʒvj ut fiat emulsio.

191.

℞ Misturæ Cretæ.....ʒiv
Capiat infans cochleare minimum tertiâ quâque horâ.

192.

Capiat æger unciam dimidiam Infusi Sennæ pro dosi, ex cyatho parvo aquæ hordei.

193.

Capiat æger cyathum vinosum parvum Infusi Gentianæ secundâ quâque horâ.

194.

℞ Infusi Sennæ.....ʒvj
Magnesiæ Sulphatis .....ʒj
Fiat mistura, cujus capiat æger partem tertiam omni bihorio donec alvus probe respondeat.

195.

℞ Magnesiæ Carbonatis.....3ſs
Pulveris Rhei.....3j
Aquæ Pimentæ .....℥vj
Misce. Sumantur cochlearia tria magna post unamquamque sedem mollem, vitro prius concusso.

196.

℞ Sodæ Tartarizatæ 3vj
Aquæ. Cinnamomi.....℥ij
Fiat solutio duabus vicibus sumenda.

197.

℞ Infusi Quassiæ.....℥vj
Magnesiæ Sulphatis .....℥j
Fiat mistura, de quâ capiat æger cochleare unum amplum frequenter, vel bis terve in die.

198.

℞ Tincturæ Opii.....3j
Mucilag. Acaciæ.....℥vj
Spiritûs Ætheris Nitr.....3ij
Misce. Bibat cochlearia tria subindè urgente stranguriâ, aut in languore.

199.

Repetatur mistura pro re nata, si opus erit, ad vomitum sedandum.

200.

℞ Tincturæ Opii.....3j
Syrupi Papaveris.....3ij
Aquæ Menthæ.....℥vj
Misce. Sumat unciam omni semihorâ, donec dolor mitescat.

201.

℞ Tincturæ Hyosciami 3ij
Tincturæ Castorei 3ij
Syrupi Rhæados 3j
Aquæ Puræ.....℥iv
Misce. Sumat drachmas duas omni horâ, si non dormit.

202.

℞ Magnesiæ Subcarbonatis..3ſs
Tincturæ Gentianæ 3iij
Syrupi Aurantii.....3iv
Aquæ Pimentæ.....℥iv
Misce. Capiat æger, acido infestante, cochleare amplum unum, vel alterum, ex poculo jusculi bovini.

203.

℞ Rasuræ Cornu Cervi .....ʒj
Aquæ .....Oiv
Coque ad octarios duos, dein liquori colato adde Sacchari albissimi quod satis est, et ad usum servetur,

---

204.

℞ Infusi Sennæ.....ʒvj
Sodæ Sulphatis .....ʒſs
Syrupi Rhamni .....ʒij
Fiat mistura, detur imprimis uncia una, et interpositis tribus vel quatuor horis, cochleare alterum exhibeatur si fuerit opus, et post duas alias horas repetatur dosis, si alvus antea non moveatur.

205.

℞ Misturæ Cretæ .....ʒvj
Tincturæ Opii .....ʒj
Misce. Sumat unum cochleare, singulis semihoris, vel omni horâ, durante fluxu cruento.

FORMS for DRAUGHTS, &c.

206.

℞ Magnesiæ Sulphatis 3ij
Infusi Sennæ.....3j
Syrupi Rhamni 3j
Misce; fiat haustus, in jusculo calido partitis vicibus sumendus.

207.

℞ Infusi Gentianæ 3j
Tincturæ Cardamomi 3j
Fiat haustus, quem æger sumat tribus ante prandium horis.

208.

℞ Infusi Sennæ.....3j
Sumatur pro re nata; postea augendo minuendove quantitatem prout sedes pauciores pluresve promoverit.

209.

℞ Spiritûs Ætheris Nitr.....gtt.x
Liquoris Ammon. Acet...3ij
Aquæ Menthæ .....ʒj

Fiat haustus salinus, cujus cochleare parvum omni horâ cursu noctis capiat.

in the course of the night

210.

℞ Potassæ Subcarbonatis.....ʒj
Aquæ Puræ 3x
Aquæ Cinnamomi 3ij
Syrupi 3j

at the time of taking

Misce. Fiat haustus, cui tempore capiendi, adde succi limonis recentis cochleare magnum unum, et in effervescentiâ sumatur.

and let it be taken in a state of effervescence

211.

℞ Antimonii Tartarizati.....gr.ſs
Aquæ Puræ.....ʒj

Misce ut fiat haustus statim sumendus, et repetatur post horas duas, si non antea ventriculus emeticum rejecerit, vel si alvus non laxata fuerit.

212.

Pergat in usu haustûs heri præscripti.

First the one of the day next day prescribed

---

and let the repeated 2 hours after, if the Stomach shall not have rejected the emetic before, or if the bowels shall not have been relaxed.

213.

℞ Spiritûs Lavendul.....3j
Misturæ Camphoræ 3j
Misce, et fiat haustus, sextâ quâque horâ sumendus, si aderit vel spasma vel pulsûs languor.

214.

Persistet in usu haustus jam præscripti.

215.

℞ Magnesiæ Sulphatis.....3ij
Acidi Sulphurici .....gtt.xx
Aquæ Menthæ.....3j
Misce; fiat haustus, crastino mane sumendus.

216.

Perstet in usu haustûs nocturni.

217.

Sit in promptu haustus cum vini Colchici drachmâ, horâ somni sumendus, si redintegraverit malum arthriticum vel involverint vigiliæ inter noctem.

218.

Addantur haustui jam præscripto hora somni sumendo, Tincturæ Opii gutt. xv.

219.

Repetatur porrò haustus inter noctem sine Tincturâ Opii, si vigiliæ involverint vel increbuerit tussis.

220.

℞ Acidi Nitrici diluti.....ʒfs
Spiritûs Ætheris Nitr.....ʒiij
Tincturæ Hyosciami .....ʒij
Aquæ Puræ .....Oij
Syrupi q. s.

ad acorem compescendum, et gustum conciliandum. Sumat quotidie instar potus, et bibat quantum sitis exigat.

221.

Sumat ægrotus omni mane si possit libram dimidiam lactis asellæ pro jentaculo.

222.

Capiat æger haustum catharticum proximâ luce, navem conscendens; et si post navigationem vomitus supervenerit, bibat æger spiritûs alicujus paululum aquâ commixtum.

223.

℞ Misturæ Cretæ .....ʒj
Tincturæ Opii.....gtt.xv
Misce; fiat haustus post singulas dejectiones liquidas vel cruentas sumendus; vase prius agitato.

224.

℞ Infusi Sennæ.....ʒj
Magnesiæ Sulphatis.....ʒj
Misce. Fiat haustus bis in septimanâ sumendus.

225.

℞ Pulveris Radicis Ipecacuanhæ gr.x
Antimonii Tartarizati ..... gr.j
Aquæ distillatæ..... fʒiſs
Misce; fiat haustus horâ nonâ matutinâ sumendus. Vomitu superveniente, bibat æger, vicibus repetitis, Infusi Anthemidis aliquot cyathos. Vomitu finito, capiat pulverem sudorificum.

226.

Mane et pomeridie sumat Infusi Sennæ ʒj.

227.

℞ Infusi Sennæ sescunciam
Potass. Tartratis semunciam
Tincturæ Cinnamomi Co.....f 3ij

Ex his fiat haustus, summo mane deglutiendus. Repetatur idem tertio quoque die.

228.

℞ Tincturæ Opii.....gtt.x
Syrupi cujusvis .....f 3j
Misturæ Camphoræ .....f 3j

Misce. Capiat æger haustulum hujus-modi singulis noctibus, horâ solitâ.

229.

℞ Infusi Sennæ.....3j

Fiat haustus primò mane sumendus.

230.

℞ Tincturæ Castorei.....gtt.x
Spiritûs Ætheris Nitrici....gtt.xv
Potassæ Nitratis .....gr. vj
Aquæ Pimentæ 3j

Misce. Fiat haustus, in promptu habendus, et urgente febris paroxysmo sumendus.

231.

℞ Liquoris Amm. Acet. - - - - ʒfs
Spiritûs Ætheris Sulphurici - gtt.xv
Aquæ Menthæ - - - - - - - - - ʒj
Misce; fiat haustus, vespere in lecto sumendus.

232.

Sumat æger omni mane, guttas ix acidi sulphurici diluti ex jure vitulino.

233.

℞ Sambuci corticis interioris manipulum unum
Incoquatur in aquæ Oij ad Oj. Decocti hujus altera medietas mane, altera sero quotidie assumatur, donec æger convalescat.

234.

Sumat guttas xx Tincturæ Opii, in vehiculo calido conveniente.

235.

℞ Pulveris Radicis Ipecacuanhæ ℈j
Aquæ Menthæ - - - - - - - - - - - - 3j
Misce; fiat haustus emeticus. Potione copiosâ puræ aquæ tepefactæ, vomitio benè provocetur.

236.

℞ Infusi Gentianæ ..... ℥j
Fiat haustus, mane et horâ quartâ pomeridianâ potandus.

237.

Capiat guttas viginti acidi sulphurici diluti, vel quantitatem ad saporem acidulum sufficientem, in haustu decocti hordei.

238.

℞ Olei Ricini ..... ℥j
Potassæ Subcarbonatis ---- gr.vj
Aquæ Pimentæ ..... ℥j
Fiat secundum artem mistura, pro una dosi quamprimum sumenda.

239.

℞ Misturæ Cretæ ..... ℥j
Tincturæ Opii ..... gtt.xv
Fiat haustus, vespertino tempore exhibendus.

240.

℞ Misturæ Magnesiæ ..... ℥j
Fiat haustulus immediatè ebibendus.

241.

℞ Tincturæ Opii - - - - - - - gtt.xv
Syrupi Croci - - - - - - - - ʒj
Aquæ Menthæ - - - - - - ʒj
Misce, fiatque haustus, somno deficiente bibendus.

242.

℞ Tincturæ Myrrhæ - - - - - - - - ʒſs
Spiritûs Ætheris Nitrosi - - ʒj
Syrupi Tolutani - - - - - - - - ʒj
Aquæ Pimentæ - - - - - - - - - ʒij
Misce, et fiat mistura, de quâ capiat ʒj, si vel languores, vel horrores contingant.

243.

Capiat guttas decem acidi sulphurici diluti, vel guttas numero sufficientes ad moderatam aciditatem in singulis selibris decocti hordei.

244.

Sumat guttas, numero sufficientes ad saporem acrem, acidi sulphurici diluti in omni potus communis haustu.

Let the pt take ~~- - -~~ mumb. of drops creata of dilutes Sulph. acid, sufficient to give sour taste in every draught of y^e com.^n drink

245.

Sequenti aurorâ, sumat olei ricini quantum satis sit ad alvum solvendam.

246.

Utatur æger equitatione subindè si fieri possit.

247.

Sumat æger guttas xx vini antimonii quartâ, quintâ, vel sextâ quâque horâ, nausea non tamen excitanda.

248.

℞ Cupri Sulphatis - - - - - - - - gr. x
Aquæ Menthæ - - - - - - - - - ℥j
Fiat haustus, quando venenum in ventriculum receptum est sumendus.

249.

℞ Decocti Semin. Lini - - - - - ℥ij
Extracti Hyosciami - - - - - gr.ij
Misce, fiat haustus, urgentibus torminibus, sumendus.

250.

Bibat ad libitum infusi seminum lini.

251.

℞ Radicis Sarsaparillæ - - - - - - - ℥ij
Corticis Ulmi - - - - - - - - - - - ℥fs
Aquæ Puræ - - - - - - - - - - - - lb.ij
Coque ad libram cum semisse, cola, et signetur decoctum, quod capiat ut ante.

252.

℞ Infusi Sennæ - - - - - - - - - - ℥j
Magnesiæ Sulphatis - - - - - - - ℥j
Fiat haustus statim sumendus, et quartâ quâque horâ repetendus si erit necessitas.

253.

℞ Infusi Quassiæ - - - - - - - - - ℥j
Tincturæ Gentianæ - - - - - - - ℥j
Misce. Fiat haustas mane, iterumque hora ante prandium stomacho vacuo sumendus.

254.

℞ Tincturæ Opii - - - - - - - - - - gtt.xv
Aquæ Menthæ - - - - - - - - - - ℥j
Syrupi Croci - - - - - - - - - - ℥j

Misce. Fiat haustus horâ somni vel vespertina vel sera nocte sumendus.

255.

℞ Potassæ Subcarbonatis - - - - - ℈j
Syrupi Croci - - - - - - - - - - - ℥j
Aquæ Menthæ - - - - - - - - - - - ℥j

Misce. Fiat haustus cum succi limonum cochleari uno amplo, in impetu ipso effervescentiæ sumendus.

256.

℞ Tincturæ Jalapæ - - - - - - - - ℥ss
Infusi Sennæ - - - - - - - - - - ℥j
Magnesiæ Sulphatis - - - - - - ℥ij

Misce. Fiat haustus, secundis horis sumendus, donec alvus plenè soluta sit. Mitte tales quatuor.

257.

Continuetur haustus nuperrimè præscriptus.

258.

℞ Liquoris Ammoniæ Acetatis - - ʒj
Spiritûs Ætheris Nitr. - - - - - - - ʒss
Tincturæ Opii - - - - - - - - - - - - gtt.xv
Aquæ Puræ - - - - - - - - - - - - - - - ʒij
Misce. Fiat haustus, quartâ quâque horâ capiendus. Ut effectus sudorificus augeatur adde singulis haustibus antimonii tartarizati gr. ¼.

259.

℞ Tincturæ Castorei - - - - - - - - - ʒss
Tinct. Serpentariæ - - - - - - - - gtt.xl
Spiritûs Ammoniæ - - - - - - - - - gtt.xv
Aquæ Pimentæ - - - - - - - - - - - ʒj
Misce. Fiat haustus, si vigilia increbuerit, aut dolor capitis redintegraverit, sumendus.

260.

℞ Infusi Sennæ - - - - - - - - - - - - ʒj
Tincturæ Digitalis - - - - - - - - gtt.xx
Fiat haustus, sumendus statim a primâ venæsectione.

261.

Perdomito symptomate, mane et sero, ad dies pauculos continuetur usus haustuum.

262.

Continua haustum effervescentem, sicut jam-jam paratum.

263.

Cochleare unum spiritûs lavendulæ compositi per se propinari possit bis vel ter durante paroxysmo, horâ dimidia vel integrâ interposita.

264.

℞ Decocti Sarsaparillæ - - - - - Oj
Sumat poculum (℥iv) bis torvè indies.

265.

℞ Infusi Sennæ - - - - - - - - - - - ℥j
Fiat haustus navem ingressurus sumendus.

266.

℞ Magnesiæ Sulphatis - - - - - - ℥j
Acidi Sulphurici diluti - - - - gtt.x
Syrupi Rhæados - - - - - - - - ℥j
Aquæ Menthæ - - - - - - - - - ℥j
Misce. Fiat haustus, cras primo mane sumendus, et repetatur tertiis vel quartis horis, ad alvum solvendam.

267.

℞ Misturæ Cretæ - - - - - - - - - - ℥j
Syrupi Croci - - - - - - - - - - - - 3ij
Misce. Fiat haustus, quartâ quâque horâ sumendus, donec paroxysmi non discrucient, instillando alternis vicibus, si Diarrhœa adfuerit Tincturæ Opii guttas ij vel iij.

268.

℞ Tincturæ Columbæ - - - - - - - - 3ij
Acidi Sulphurici diluti - - - - - gtt.xv
Aquæ Cinnamomi - - - - - - - - - 3j
Syrupi Rhæados - - - - - - - - - 3ij
Misce. Fiat haustus, quartâ quâque horâ sumendus, et tempore usûs adde singulis Tincturæ Opii gtt. iij.

269.

℞ Tincturæ Opii - - - - - - - - gtt.xx
Aq. Menthæ Sativæ - - - - ℥j
Syrupi Croci - - - - - - - - - 3ij
Misce. Fiat haustus quamprimum sumendus et 6tâ quâque horâ repetendus si necesse sit.

270.

℞ Infusi Digitalis.....ʒiij
——— Gentianæ .....ʒiv
Syrupi Croci.....ʒj
Misce. Fiant haustus sex. Sumat unum 6tis horis, si vires permittant.

271.

℞ Infusi Calumbæ.....ʒiſs
Syrupi.....ʒij
Misce. Fiat haustus circa meriediem et horâ quintâ pomeridianâ sumendus, per septimanam integram, vel ulterius si opus fuerit.

272.

℞ Misturæ Cretæ .....ʒiſs
Misce. Fiat haustus; pro re nata adde tincturæ opii guttas vj si opus fuerit, ad præcavendum diarrhœam.

FORMS for POWDERS, PILLS, &c.

Forsan sudorifs dare to give Iturо = going Lectum to bed

273.

PROSIT' forsan dare ægro, lectum ituro pulveris hydrargyri submuriatis grana quinque.

274.

℞ Coccinell. - - - - - - - - - - - - - - - ℈j
Sodæ Muriatis - - - - - - - - - - - - 3ij
Misce. Fiat pulvis. Detur cochleare dimidium pro dosi tempore matutino.

275.

℞ Pulveris Jalapæ - - - - - - - - - - - 3ij
Hydrargyri Submuriatis - - - - 3ſs
Misce. Dentur grana xij ad xxiv, quando alvi ductione opus sit.

276.

℞ Magnesiæ Carbonatis - - - - - - ℥ſs
Fœniculi Seminum
Sacchari purificati āā - - - - - - - - 3j
Terantur in pulverem. Dosis quantum cultri apice capi potest, sæpius in die.

277.

℞ Hydrargyri Submuriatis - - - - - 3j
Confectionis Rosæ,
quantum satis sit. Contunde in massam et divide in pilulas xxx. Sumatur una bis indies, ut cieatur ptyalismus modicus.

278.

Augeatur dosis pulveris jacobi ad gr. vj.

279.

℞ Pulveris Rhei- - - - - - - - - - - gr. v
——— Ipecacuanhæ - - - - gr. ij
Fiat pulvis, ante prandium sumendus.

280.

℞ Hydrargyri Oxydi Rubri - - - gr. j
Opii tertiam grani partem
Caryophillorum Olei - - - - - - gtt. j
Fiat pilula, horâ somni per hebdomadam sumenda.

281.

℞ Myrrhæ Gummi Resinæ - - - - ʒſs
Sacchari purificati - - - - - - - - ʒſs
Tere simul in pulverem. Dosis drachma una ter quaterve indies, è quovis liquore idoneo.

282.

℞ Pulveris Opii - - - - - - - - - - - gr. iij
Extracti Glycyrrhizæ - - - - - gr. viij
Fiant pilulæ binæ, nocte sumendæ ad vicem secundam.

283.

℞ Capsici Seminum Contritorum gr. vj
Lauri Baccarum - - - - - - - - - - ʒij
Misce. Fiat pulvis dividendus in tres partes æquales; quarum prima portio sumatur incipiente primore rigore; secunda postridie eâdem horâ; tertia verò tertio die.

284.

℞ Confectionis Opii - - - - - - - - - ℈j
Pro re nata sumatur si diarrhœa permaneat.

285.

℞ Extracti Colocynthidis Co. - - - 3j
Hydrargyri Submuriatis - - - - - gr. xij
Fiat massa in pilulas xij dividenda.
Capiat summo mane tres, et postea duas, si alvus horis sex non satis dejiceretur.

286.

℞ Pilulæ Aloes ē Myrrha - - - - - 3iij
Fiant pilulæ triginta. Sumat duas vel tres adstricta alvo.

287.

℞ Pulveris Rhei - - - - - - - - - - - - ℈j
Hydrargyri Submuriatis - - - - - gr. v
Syrupi Althææ q. s.
fiat bolus, horâ somni sumendus, et alternis noctibus repetendus, ad duas vel tres vices.

288.

℞ Extracti Cicutæ - - - - - - - - - - 3ſs
Fiant pilulæ quindecim, in pulvere cicutæ involvendæ.

289.

℞ Extracti Colocynthidis - - - - - - 3ſs
Pulveris Scammoneæ - - - - - - - ℈j
Hydrargyri Submuriatis - - - - - gr. xij
Misce. Fiant pilulæ duodecim; quarum capiat unam nocte, quoties alvus fuerit justo adstrictior.

290.

℞ Extracti Elaterii - - - - - - - - - gr. ſs
——— Colocynthidis Comp. gr. v
Olei Essential. Menthæ Piperit. gutt. j
In pilulam conficiantur primò mane deglutiendam, post aliquot horas repetendam.

291.

Ad nauseam supprimendam, bibat æger spiritûs alicujus paululum aquâ commixtum.

292.

℞ Corticis Cinchonæ Pulveris gr. xv
ad 3ij

Capiat e cyatho vini generosissmi horæ quadrantis ad horas iv, intervallo, ita ut æger sumat 3vj ad minimum inter duos paroxysmos.

293.

℞ Extracti Elaterii - - - - - - - - - gr. ij
Sacchari purificati - - - - - - - - 3j

Optime terantur simul, dein in pulveres octo æquales dividantur, quorum capiat æger unum omni horæ quadrante donec adsit catharsis.

294.

Accipiat vespere
Jalapæ Pulveris grana quindena
Hydrargyri Submuriatis grana quinque

Conterantur in molem syrupo simplici, et ut fingant globulos ternos satis æquos.

295.

℞ Pulveris Corticis Cinchonæ - - - 3j
Pulveris Cinnamomi - - - - - - - - gr. xx

Misce; fiat pulvis, exhibendus si remissio appareat, et repetendus si ultra horas tres pergat.

Beyond ℏ 3
it shall continue

296.

℞ Sodæ Carbonatis Exsicc. - - - - 3j
Saponis duri - - - - - - - - - - - - - ℈iv
Olei Juniperi - - - - - - - - - - - - gtt.xx
Syrupi Zinziberis q. s.
fiat massa in pilulas xxx dividenda, e quibus capiat tres in dies, contra calculos renum.

297.

℞ Pulveris Jalapæ - - - - - - - - - - 3ij
Hydrargyri Submuriatis - - - gr.xxiv
Misce, et in pulveres duodecim divide, quarum capiat duos vel tres, ut necesse fit ad sedes.

298.

℞ Potassæ Sulphatis - - - - - - - - ℈ij
in semipoculo aquæ tepidæ solutos, cum guttis viginti tincturæ Digitalis sumendos.

299.

℞ Pulveris Cinchonæ - - - - - - - - 3j
Sit pulvis, secundis horis in cyatho lactis, absente paroxysmo sumendus.

300.

℞ Pulveris Cretæ cum Opio - - gr. x
——— Tragacanthæ - - - - ʒfs
Fiat pulvis post dejectiones singulas liquidas sumendus.

301.

Sumatur pulveris Calumbæ, grana decem, ex vehiculo aliquo crasso, singulis auroris.

302.

℞ Pulveris Nitratis Potassæ
——— Potassæ Sulphatis āā gr.xv
Fiat pulvis, in promptu habendus, et urgente paroxysmo sumendus.

303.

℞ Pulveris Jalapæ - - - - - - - - - - ʒj
——— Scammoneæ - - - - - - ʒj
Hydrargyri Submuriatis - - - - gr.xx
Syrupi q. s.
ut fiat massa in pilulas viginti dividenda, e quibus capiantur binæ ad alvum officii immemorem excitandam.

That a mass may be made to be divided into 20 Pills of wh. let 2 be taken to excite the Bowels unmindful of the Office — or to excite sluggish Bo

304.

℞ Potassæ Nitratis - - - - - - - - gr.xx
Sacchari Albi - - - - - - - - - - 3ij
Mucilaginis Acaciæ q. s.
ut fiat massa, in trochiscos duodecim distribuenda, quorum unus detineatur sub linguam, donec liquescat.

305.

℞ Quercûs Corticis - - - - - - - - - 3ſs
Anthemidis Flor. exsicc. - - - - ℈j
Tere simul in pulverem, alternis vel tertiis horis, durante apyrexiâ sumendum.

306.

℞ Zinci Sulphatis - - - - - - - - gr.xij
Aquæ Puræ - - - - - - - - - - - 3iij
Sumatur tertia pars ter die, augendo dosin, si opus sit, et si ferat ventriculus.

307.

℞ Pulv. Cretæ cum Opio - - - - - gr.x
Fiat pulvis, vespere ante somnium sumendus.

308.

℞ Extracti Colocynth. - - - - - - - - 3j
Fiant pilulæ duodecim. Sumat unam sextis horis donec commodè purgetur.

309.

℞ Pulveris Ipecacuanhæ - - - - - gr.xxv
Antimonii Tartarizati - - - - - - gr.j
Fiat pulvis emeticus: ex pauxillo alicujus liquoris idonei hauriatur, et vomitu moto, superbibantur cyathi aliquot infusi anthemidis tepidi.

310.

℞ Pulveris Cinchonæ - - - - - - - - 3iij
Divide in partes duodecim æquales, quarum capiat unam in horas vel secundâ vel tertiâ quaque horâ ex cyatho parvo lactis vaccini recentis, absente febre.

311.

℞ Confectionis Rosæ - - - - - - - - gr.x
Hydrargyri Submuriatis - - - - gr.vj
Fiat bolus, horâ somni quâlibet nocte sumendus; mane sequenti post quintam vel sextam assumptionem bibat potionem purgantem communem.

312.

℞ Extracti Hyosciami - - - - - gr. ij
Fiat pilula, omni horâ sumenda, donec sedeantur evomitiones.

313.

℞ Pilulæ Aloes cum Myrrhâ - - - 3j
Fiant pilulæ duodecim, quæ obruantur pulvere glycyrrhizæ.

314.

℞ Pulveris Digitalis - - - - - - - gr.iij
——— Glycyrrhizæ - - - - gr.xx
Misce. In pulveres tres, hæc quantitas divisa est. Partitio fiat exactissima.

315.

℞ Extracti Papaveris - - - - - - - gr.x
Fiant pilulæ duæ, quarum capiat unam statim, et alteram post horas tres, si vomitus perstiterit.

316.

℞ Pulveris Cinchonæ - - - - - - - 3ij
In duas partes dividatur, quarum una ter de die exhibenda, et in plures dies continuanda.

317.

℞ Pilulæ Hydrargyri - - - - - - - - gr.x
Fiant pilulæ ij.
Devoret æger unam bis in die, horâ decimâ, alteram horâ secundâ.

318.

℞ Pulveris Scammoneæ - - - - - - - ℈j
——— Rhei - - - - - - - - - - - - gr.x
Hydrargyri Subm. - - - - - - - - - gr.iv
Misce. Fiat pulvis purgans, mane in pulpa pomi tosti sumendus.

319.

Dentur Radicis Ipecacuanhæ in pulverem subtillissimum tritæ grana tria vel quinque, diluculò, singulis vel alternis diebus.

320.

Sumantur Filicis Radicis in pulverem tritæ drachmæ duæ vel tres, è cyatho aquæ menthæ, primo diluculò.
Elapsis duabus horis, devoretur bolus ex hydrargyri submuriatis granis quinque vel sex, et cambogiæ granis octo vel decem, assumpto subindè haustulo infusi theæ viridis.

321.

℞ Ferri Sulphatis - - - - - - - - - - 3ſs
Assafœtidæ - - - - - - - - - - 3ij
Cum mucilaginis acaciæ tantillo subige in massam dividendam in pilulas singulas granorum iv.

322.

℞ Antimonii Tartarizati - - - - gr.iv
Pulveris foliorum Digitalis - gr.x
Confectionis Rosæ q. s.
fiat massa, in pilulas xx dividenda.
Initio sumat æger pilulam unam, pro dosi, mane ac nocte, postea binas, dein tres, et denique augeatur dosis quantum fieri potest.

323.

℞ Extracti Gentianæ - - - - - - gr. x
Fiat bolus, detur jejuno stomacho.

324.

℞ Pulveris Aloes - - - - - - - - - - 3j
——— Myrrhæ - - - - - - - - - - 3ſs
Misce. Capiat gr. x ter die. Dosis sensim augenda est, donec 3j in die sumetur.

325.

Sumat quantum cuspide cultri capi potest, pulveris Rhei, in cochleare lactis saccharati, vel in melle.

326.

Sumat æger drachmam unam pulveris Cinchouæ ante paroxysmum ingredientem.

327.

℞ Oxydi Hydrargyri rubi....gr. xij
Confectionis Rosæ q. s.
ut fiant pilulæ xij. Sumat æger pilulam ter in die, donec dentes vacillare incipiant.
Dosis ab initio a pilulâ unâ ad duas; tres vel semper dosin augendo.

328.

℞ Pulveris Cinchonæ.....3j
Pulveris Zinziberis.....gr. x
Misce. Sumat æger ante tempus redeuntis paroxysmi ter in septimanâ huncce pulverem pro dosi.

329.

Sumat æger, in lecto compositus, pilulam Opii, superbibendo hordei aquam calidam.

330.

℞ Gummi Ammoniaci.....3ſs
Pulveris Rhei.....ℨj
Syrupi simplicis.....q. s.
fiant pilulæ viginti.

Capiat per duas noctes quatuor et intermittat tertiam noctem; et sic pergat donec totum sumpserit.

331.

℞ Pulveris Opii..... gr. j
Confectionis Rosæ .....q. s.
ut fiat bolus, immediatè exhibendus, et toties repetendus quoties postulaverit æger.

332.

℞ Antimonii Oxydi.....ℨj
Nitratis Potassæ.....3j
Pulv. Ipecac. Co.....3ſs
Misceantur, et fiat pulvis tenuissimus in septem partes æquales separandus quarum una, singulis horis ingeratur.

333.

Repetantur pulveres, hesterno die præscripti, eodemque modo sumantur.

334.

℞ Cretæ preparatæ.....3j
Pulveris Ipecacuanhæ.....gr. vj
Misce, et fiat pulvis, in chartulas duas æqualiter dividendus, quarum capiat unam horis octavis; et temporibus intermediis, si pulsus sit creber, et fortis, bibat cochlearia duo misturæ sequentis.

335.

℞ Extracti Colocynthidis....3j
Pulveris Scammoneæ.....3ſs
Misce, fiant pilulæ viginti, quarum duæ deglutiantur, horâ decubitûs: diluculo ut infra.
℞ Infusi Sennæ.....$\bar{3}$j

336.

℞ Hydrargyri Submuriatis..gr. xij
Confectionis Rosæ.....q. s.
ut fiant pilulæ xij, cujus sumat j post cœnam: mane et pomeridie sumat haustum purgantem.

337.

℞ Zinci Sulphatis... .....Əfs
Pulveris Ipecacuanhæ....gr. xv
Fiat pulvis emeticus statim sumendus. Finitâ vomitorii operatione capiat subinde, cochlearia duo misturæ purgantis.

338.

℞ Pulveris Digitalis.....gr. fs
Pulveris Acaciæ.....Əj
Fiat pulvis, 4tis horis sumendus, ægrâ interim conquiescente, et caput immotum tenente.

339.

℞ Hydrargyri cum Cretâ....gr. x
Pulveris Tragacanthæ....3fs
Fiat pulvis statim sumendus; et exhibeatur sequenti luce, potio purgans communis.

340.

℞ Pulveris Potassæ Sulphatis...3j
Pulveris Rhei.....Əj
Misce. Fiat pulvis, in pulmento, vel in poculo seri lactis vinosi, sumendus.

341.

℞ Pulveris Cinchonæ.....℥j
Pulveris Cinnamomi .....℥ij
Misce. Fiant pulveres duodecim, quarum capiat unam quartâ quâque horâ, superbibendo vini cujuslibet haustum, incipiendo immediatè post paroxysmum; interdicto interim enematum usu.

342.

℞ Extracti Hyosciami.....℥j
Fiant pilulæ duodecim, quarum sumatur una pro re natâ, sub languore vel singultu.

343.

℞ Sodæ Tartarizatæ.....℥iſs
Cretæ preparatæ.....℥ſs
Misce. Fiat pulvis, in jusculo avenaceo tenuissimo, sumendus.

344.

℞ Pilulæ Aloes ē Myrrha.....℥ij
Fiant pilulæ viginti quatuor, è quibus ingerantur tres, unaquaque mane ac nocte.

345.

℞ Hydrargyri Submuriatis grana quaterna
Sacchari grana sena
Antimonialis pulveris grana bina
Conterantur. Quod Gelatinâ junctâ sumatum sit vespere.

346.

℞ Zinci Sulphatis..... ℈j
Confectionis Cynosbat....q. s.
ad pilulas viginti fingendas, quæ deaurandæ sunt.

347.

℞ Cretæ preparatæ..... ℈j
Fiat pulvis, vel addendo syrupum zinziberis, bolus, ad alvum contrahendum mane sumendus.

348.

℞ Pilulæ Hydrargyri.....℈ss
Divide in duas partes; sumat unam statim, alteram circa mediam noctem.

349.

℞ Pulveris Rhei... .....ℨj
Gummi Acaciæ..... ....ℨſs
Fiat pulvis, 4tis horis sumendus; peractâ operatione emetici.

350.

℞ Pulveris Ipecacuanhæ .... ℨj
Fiat pulvis emeticus, more solito sumendus.
manner accustomed

351.

℞ Pulveris Calumbæ.....3j
Pulveris Zinziberis.....gr. xx
Misce omnia, quæ dividantur in sex doses æquales, per sex dies continuos mane sumendos, tribus horis ante pastum.

352.

℞ Olei Crotonis.....gtt. xviij
Pulveris Glycyrrhizæ....q. s.
ut fiant pilulæ xxxvj, quarum, exhibeantur duæ, horâ decubitûs, quandoque alvus nimis solida fuerit, et augeatur seu minuatur dosis pro ratione effectûs.

353.

℞ Pulveris Opii.....gr. j
Confectionis Rosæ.....gr. iv
Fiat bolus vespere si perstet diarrhœa, vel adsint tormina intestinorum, capiendus.

354.

℞ Pilulæ Hydrargyri.....gr. v
Sumat talem, horæ unius spatio.

355.

℞ Jalapæ Radicis pulveris.....ʒj
Potassæ Supertartratis.....ʒij
Omnia seorsim trita permisce. Dosis à ʒfs ad ʒj mane.

356.

℞ Extracti Gentianæ.....ʒv
In pilulas sexaginta dividendas. Dosis j vel jj nocte maneque statim post cibum.

FORMS for LINCTUSES, &c.

357.

℞ Olei Terebinthinæ.....3ij
Mellis despumati.....3j
Misce; fiat linctus.
Dosis cochleare parvum nocte et mane, cum haustu cujusvis potûs tenuioris tepefacti.

358.

℞ Confectionis Sennæ.....3iv
Sumat ad nucis juglandis magnitudinem.
ja Walnut — the quantity

359.

℞ Confectionis Rosæ.....3ij
Tincturæ Opii.....3j
Acidi Sulphurici diluti... ...3fs
Fiat exactè invicem miscendo electuarium.

360.

℞ Confectionis Rosæ Caninæ....3ij
Syrupi Aurantii.....3vj
Olei Amygdalæ.....3j
Misce, et fiat linctus, particulatim lingendus.

361.

℞ Oxymellis Scillæ.....3iij
Syrupi Papaveris 3vj
Pulveris Tragacanthæ Co....3j
Misce. Fiat linctus, cujus lambat æger pauxillum subinde.

362.

℞ Gummi Guaiaci.....3j
Confectionis Rosæ.....3j
Syrupi Aurantii.....q. s.
ut fiat electuarium, de quo capiat quantitatem nucis moschatæ majoris, bis indies.

363.

℞ Confectionis Rosæ.....3ij
Acidi Sulphurici Diluti.....3j
Misce, et fiat linctus; capiat quantitatem castaneæ bis in die.

364.

℞ Confectionis Sennæ.....3iv
Pulveris Potassæ Supertartratis..3fs
Misce, et fiat electuarium. Capiat quantitatem avellanæ vel moschatæ subinde, vel ter in die paulò ante prandium.

avellanæ
Brazil Nuts

365.

℞ Pulveris Cinchonæ.....3j
Pulveris Serpentariæ.....3iij
Syrupi Simplicis.....q. s.
ut fiat electuarium, quod decedente paroxysmate, totum capere debet æger, ante accessum febris sequentem.

366.

℞ Confectionis Sennæ.....3j
Fiat linctus, sumendus subindè lambendo.

367.

℞ Confectionis Rosæ.....3j
Aluminis pulveris.....3j
Misce. Imponatur parvulum assiduò linguæ, ut soluta ibi oblinat et sic lente deglutiatur.

368.

℞ Pulveris Uvæ Ursi.....ʒj
Syrupi Aurantii..... q. s.
ut fiat electuarium, debitæ spissitudinis, cujus molem nucis moschatæ, bis in die, paulatim delingatur.

369.

℞ Aceti Colchici.....ʒij
Mellis.....ʒiv
Misce, et super leni foco, sæpiùs agitando cochleare ligneo coque ad mellis spissitudinem; hujus oxymellis, sumat æger cochleare parvulum ter die.

370.

℞ Menthæ Viridis foliorum recent....ʒiv
Sacchari purificati.....ʒxij
Folia mortario lapideo contunde, tum adjecto saccharo, iterum contunde, donec corpus sit unum.

371.

℞ Hujus Confectionis.....ʒiv
Fiat bolus, statim sumendus, et 3tiis horis repetendus, urgente ægritudine ventriculi, cum haustu sequente.

FORMS for EXTERNAL APPLICATIONS, &c.

372.

℞ Micæ Panis.....lb. j
Liquoris Plumbi Acetatis.....q. s.
ut madescat panis.

373.

℞ Cònii Foliorum exsiccatorum..ʒj
Coque ex aquæ Oijſs ad Oij et cola, panni lanei hocce decocto calido madefacti deinde expressi parti affectæ imponantur, et sæpius renoventur.

374.

Vespere utatur pediluvio tepido.

375.

℞ Unguenti Hydrargyri fort....ʒj
Hujus unguenti affricetur drachma una femoribus internis ante focum singulis noctibus, donec ptyalismus cieatur.

a salivation may be produced

376.

Fricetur corpus, horâ decubitûs, aut manu vel strigili.

377.

℞ Pyrethri Radicis Contriti
Mastiches .....āā 3j

Fiant lege artis, ad ignem, masticatoria duo, teneat æger sæpius in ore, et manducet hujusmodi medicamentum expuatque salivam.

378.

Suffiet æger fauces ejus cum vapore ex acidi sulphurici unciâ dimidiâ, cui primum adjunctæ fuerint muriatis sodæ unciæ duæ.

379.

℞ Picis liquidæ.....ʒiſs
Sulphur. Sublimati.....ʒſs
Ceræ flavæ... .....ʒj

Lento igne liquefac, ut fiat unguentum.

380.

℞ Olei Olivæ.....ʒj
Ceræ albæ.....ʒij

Misce. Fiat Linimentum, quocum illinentur partes denudatæ bis quotidie.

381.

Attrahatur pulmonibus ætheris sulphurici vapor ter quotidie.

382.

℞ Dauci Radicis.....q. s.
Coque in aquâ, ad aptam mollitiem in pulpam deinde contunde.

383.

℞ Liquoris Plumbi Acetatis diluti..Oj
Lintea quadruplicata hocce liquore frigido madefacta, partibus inflammatis applicentur et sæpius renoventur.

384.

℞ Magnesiæ Sulphatis..... ....ʒj
Juris Avenacei.....Oſs
Olei Olivæ.....ʒſs vel
Butyri quantitatem juglandis.
Misce pro enema statim injiciendum.

385.

℞ Pulveris Asari
Pulveris Veratri.....āā 3j
Pulveris Glycyrrhizæ.....3ij
Misce, fiat electuarium, cujus aliquantillum naribus insuffletur ante decubitum.

386.

Inungatur hypochondrio sinistro, ℈j unguenti hydrargyri fortioris, 11â horâ ante meridiem, et 4tâ post meridiem indies.

387.

℞ Lapidis Calaminaris.....3j
Eo conspergantur partes adfectæ, sub qualibet deligatione.

388.

℞ Liquoris Potassæ.....3j
Aquæ Puræ.....ʒvj
Misce. Hujus liquoris tepidi, quantum cavo capi potest, quotidie bis injiciatur, in aurem ægram supinatam, ac detineatur per aliquot minuta, dein aure pronâ rursus emittatur.

389.

℞ Oxydi Zinci.....3j
Fiat pulvis, inclusus sindoni raræ excutiatur super parte excoriatâ, prius detersâ.

390.

℞ Cretæ preparatæ.....℥j
In partes excoriatas, ex gossipio asperge.

391.

Admoveatur parti adfectæ, spongiola, aquâ calidâ imbutâ.

392.

Vesica suilla, aquâ calidâ ad dimidium repleta, admoveatur lateri dolenti; firmetur ligamine, tum super ponatur sacculus arenâ calidissimâ plenus, qui frigescens iterum calefiat, aut ei mox substituatur alius jam calefactus. Continuentur hæc donec dolor remiserit.

393.

Cataplasma calidum, irroratum prius tantillo Spiritûs Camphoræ, adplicetur cum pannis laneis parti adfectæ, et vesica, suilla oleo madefacta detineatur; renovetur quolibet trihorio.

394.

Admoveatur calidum cataplasma, parti affectæ, cum panno linteo quadruplicato.

395.

℞ Unguenti Hydrargyri Nitrico Oxydi
Unguenti Resinæ.....āā ʒfs
Misce. Fiat unguentum, quo leniter inungatur locus adfectus, ac dein tegatur emplastro plumbi super alutam extenso.

396.

℞ Hydrargyri Submuriatis.....ʒj
Adipis Suillæ.....ʒj
Misce. Super pannum linteum extende, et cuti affectæ applica.

397.

Vapor calidus hauriatur infundibuli ope in fauces.

398.

℞ Pulveris Opii.....3ſs
Unguenti Cetacei.....3j
Misce; fiat unguentum. Hujus pauxillo inungatur locus umbilici subinde: aut pars dimidia juglandis nucis putamine exceptâ, eidem loco adponatur.

399.

℞ Linimenti Saponis.....3j
Liquoris Ammoniæ.....3iv
Tincturæ Opii.....3j
Misce. In languore, aut paroxysmo hysterico illinatur naribus temporibus, &c. hujus linimenti paululum.

400.

℞ Hydrargyri Oxymuriatis....gr. x
Acidi Muriatici.....3ſs
Aquæ Rosæ.....3x
Misce. Tantillo hujus liquoris laventur mane et vespere, partes infestatæ.

401.

℞ Pulpæ Colocynthidis.....ʒj
Olei Olivarum.....ʒj
Misce, et coque leni igne, donec pulpa torqueri videatur; dein massam adhuc calentem cola, et cum ea illinatur abdomen, et præcipuè umbilici regio.

402.

℞ Zinci Oxydi.....ʒj
Aquæ Rosæ.....ʒviij
Misce. Fiat collyrium, quo concusso imbutum linteum quadruplicatum imponatur oculo adfecto.

403.

℞ Unguenti Hydrargyri Nitratis..ʒj
Cerati Saponis.....ʒfs
Misce. Hujus tantillo illinantur palpebræ omni vespere, cubitum iturus.

404.

℞ Unguenti Cetacei.....ʒj
Olei Origani.....ʒj
Misce. Fiat unguentum, quo tot quotidie regio stomachi atque umbilici calidè inungatur, supraponendo ulterius morsum lanulæ.

405.

℞ Tincturæ Lyttæ.....℥fs
Linimenti Saponis.....℥iſs
Misce. Fiat linimentum, quo partes adfectæ perfricandæ sunt.

406.

℞ Camphoræ 3j
Olei Amygdalarum.....℥j
Misce, et instille guttas quatuor auri, pro re nata.

407.

℞ Extracti Opii.....gr. x
Tincturæ Castorei.....℥j
Misce, et applicetur paululum auri affectæ omni nocte cum gossipio.

408.

℞ Linimenti Saponis.....℥j
Tincturæ Opii.....℥j
Misce. Fiat linimentum, cum panno laneo, faucibus externis applicandum.

409.

℞ Olei Amygdalæ-.....℥j
Camphoræ- .....℥j
Misce, pro linimento, quocum tangantur papillæ ter quaterve in die. to be touched

---

410.

℞ Acidi Sulphurici diluti ....℥j
Solutionis Aluminis Co.....℥ſs
Aquæ Puræ.....℥vj
Probe commisceantur. Indatur nari ex quo sanguis stillat, turunda ex linteo raso, humectata hoc liquore, et relinquenda illic, per dies duos.

411.

℞ Florum Sambuci.....lb. ij
Coque in Aquæ.....lb. iv
Foveantur, eo decocto, sæpius in die, caput, facies, oculi, aliæque partes erysipelate tentatæ.

412.

℞ Decocti Hordei .....lb. ſs
Magnesiæ Sulphatis ....℥ij
Fiat enema, urgente tenesmo injiciendum.

413.

Perfundatur corpus, aquâ frigida.

414.

℞ Tincturæ Lyttæ.....℥iv
Liquoris Ammoniæ ....℥j
Linimenti Saponis.....℥ij
Misce; fiat linimentum, quo guttur, et tergum colli perfricanda sunt donec vesicæ appareant, dein desiste pro die et applica unguentum cetacei.

415.

℞ Farinæ Lini.....lb. j
Aquæ bullientis q. s.
ut fiat cataplasma, admoveatur calidè, loco adfecto; renovetur quater de die: ubi arescit tantillo butyri insulsi emolliatur.

416.

Admoveantur lintea aquâ frigidâ madefacta raso capiti.

417.

℞ Micæ Panis ..... b. ij
Tincturæ Lyttæ ..... ℥ij
Decocti Papaveris, q. s.
ut fiat cataplasma. Applica hoc, ad cutem per horæ dimidium, aut tamdiu donec inflammationem satis magnam excitatam, dolor fervidus, et rubor partis tumens testentur.

418.

℞ Calaminaris Pulveris ..... ℥j
Cretæ preparatæ ..... ℥ſs
Fiat pulvis. Intra lintea consuta applicetur renovando simul ac maduerit.

419.

℞ Pulveris Opii ..... gr. v
Saponis ..... ℥j
Misce, et fiat suppositorium, post alvum exoneratum applicandum.

420.

Foveantur gingivæ aquâ calidâ.

421.

℞ Infusi Rosæ .....ʒvj
Acidi Sulphurici diluti ....ʒj
Misce. Colluantur fauces, hoc gargarismate.

422.

℞ Olei Olivæ .....ʒj
Liquoris Potassæ .....ʒij
Misce. Fiat linimentum, hujus pauxillo oblinatur abdomen bis terve quotidie.

423.

℞ Magnesiæ Sulphatis .....ʒj
Tincturæ Opii .....gtt. xxv
Jusculi .....lb. ſs
Fiat enema. Injiciatur horâ somni tertiâ quâque nocte, ad tres vices, dein repetatur alternis noctibus usque ad quartem vicem si opus sit.

424.

℞ Unguenti Hydrargyri Nitratis..ʒss
Ung. Cetacei .....ʒj
Misce. Hujus unguenti pauxillum, penicilli ope, oculo affecto applicetur, nocte et mane.

425.

℞ Aluminis.....ϑj
Cretæ preparatæ.....ʒj
Misce diligentissimè, ut fiat pulvis, cujus inspergatur pauxillum super mamillas pro re nata.

426.

Admoveatur extractum belladonnæ supercilio et regioni supraorbitali vespere.

427.

℞ Sodæ Muriatis.....ʒij
Decocti Hordei .....Oj
Fiat enema, hora commoda injiciendum, et pro rei exigentiâ iterandum.

428.

℞ Hydrargyri Submuriatis....gr. ij
Sacchari Albi.....ʒj
Fiat pulvis cujus parum infletur, ope calami, in oculum affectum, semel vel bis in die.

429.

℞ Radicis Dauci.....lb. j
Coque in aquæ fontanæ q. s. et per setaceum trajice pulpam, cui adde ʒfs adipis, ut fiat cataplasma calidè adhibenda.

430.

Vespere appropinquante, si opus sit, injiciatur elysma heri præscriptum.

431.

Fiat Setaceum ad medium brachium.

432.

Foveantur artus cum decocto anthemidis.

433.

℞ Conii foliorum .....ʒij
Aquæ ferventis .....lb. ij
Colatura sit pro fotu, qui cum pannis laneis parti affectæ admoveatur mane horis duabus, antequam e lecto assurgat, et nocte post decubitum, donec symptoma penitus evanuerit.

434.

℞ Tincturæ Opii.....ʒj
Linimenti Saponis .....ʒj
Fiat linimentum, cum quo benè fricentur tempora et detonsum caput.

435.

Inhalet singulis noctibus in lecto vaporem aquæ calidæ cui tempore usûs adde cochlearia duo minima ætheris rectificati.

436.

Eliciantur scintillæ electricæ ex orbitis oculorum, temporibusque, per horæ sextam partem, et repetantur alternis diebus.

437.

Fiant ictus electricis, per regionem uteri.

438.

Exploretur vesica urinaria ope catheteris, et extrahatur urina.

439.

Colluantur os et gingivæ bis terve in die cum Tincturæ Myrrhæ gtt. xx in aquæ tepidæ cyatho.

440.

℞ Hydrargyri Oxydi Cinerei -- ℈j, vel
——————— Sulphuretum rubrum ℥ss
Fiat pulvis, pro fumigatione faucibus internis omni nocte adhibendus more solito.

441.

Fiat fonticulus crure, infra vel supra genu.

442.

Instituatur paracentesis abdominis, et educatur aqua.

443.

Affricetur parti affectæ singulis noctibus unguenti hydrargyri fortioris magnitudo fabæ equinæ, deinde applicetur cataplasma ex liquore plumbi acetatis diluto, micâ panis, et farinâ lini.

444.

℞ Argenti Nitratis.....℈j
Aquæ distillatæ .....ʒvj

Fiat mistura, et cum hâc illinantur partes affectæ singulis noctibus horâ somni prius detersæ; vel linteum in eadem madefiat et per totum noctem gestetur.

445.

Utatur balneo, ad gradum nonagesimum calefacto bis in septimanâ.

446.

℞ Fellis Bovis .....ʒij
Olei Amygdalarum .....ʒfs
Misce. Fiant guttæ acousticæ bis die applicandæ.

447.

Mittatur fistula armata.

448.

℞ Zinci Sulphatis .....ϑj
Aquæ Puræ - .....ʒvj
Misce. Fiat injectio, quæ ex syphone eburneo in urethram injiciatur, mane et nocte.

449.

℞ Liquoris Ammoniæ Acetatis....ʒj
Aquæ .....lb.j
Fiat lotio, nocte cubitum, iturus tumoribus applicanda.

450.

Fiat fonticulus purulentus ad medium brachium, ope potassæ fusæ.

451.

Cautè tangantur clavi, acido sulphurico, ope penicilli dein tegantur emplastro plumbi.

452.

℞ Unguenti Cetacei ..... ℥j
Pulveris Opii ..... ℈ss

Fiat unguentum, cujus paululum pro re nata applicetur, urgente ani prurigine.

453.

℞ Linimenti Camphoræ ..... ℥iss
Tincturæ Lyttæ ..... ℥ss

Misce. Fiat linimentum, quocum fricetur pars affecta ter quatervè indiès.

454.

℞ Nicotianæ 3j
Aquæ Communis - .....Oj
Coque per sextam partem horæ et cola; adde liquori
Sodæ Sulphatis 3ij
Solve et fiat enema, statim injiciendum, contra insultus apoplecticos, vel affectus soporosos adhibendum.

455.

Mitte Emplastrum Galbanum super alutam inducendum.

456.

Assidue laventur totum corpus et præcipuè caput, aquâ frigidâ cum aceto.

457.

Adhibeatur lavatio, frigida vel tepida prout ægro gratius erit.

458.

Capilli abradantur, et caput postea panniculo lotione frigidâ imbuto circumdetur.

459.

℞ Hydrargyri Oxymuriatis.....gr.x
Aquæ Puræ.....℥x

Misce. Hoc liquore ter de die injiciatur ulcus ope siphonis; post singulam injectionem materia relinquatur intra ulcus, et coerceatur dimidio horæ, clausis omnibus aperturis, tumque externè prematur leniter ulcus, ut liquor ejectus per omnes sinus et meatus propellatur.

By the same Author,

THE CHEMICAL DECOMPOSITIONS of the Pharmacopœia, Collegii Regalis, Medicorum Londinensis, M.DCCC.XXIV. To which are added, Tables of the Materia Medica, intended for the Use of Students preparing for their Examination at Apothecaries' Hall. Price 1s. 6d.

In the Press, and speedily will be published, price 3s.

A TRANSLATION of the PHARMACOPŒIA of the Royal College of Physicians, of London, 1824. With Notes explaining the Chemical Decompositions. Intended for the Use of Students.

J. Compton, Printer, Middle St., Cloth Fair, London.